

# icite

*Indices locorum citatorum*

Robert Alessi

<mailto:alessi@robertalessi.net>

2024/10/07 – v1.4-dev

## Contents

License and disclaimer	1	4 Refined Use	6
1 Introduction	2	Example 6	
2 The icite package	2	4.1 The classics package . . . . .	8
Bibliographical Database 3			
2.1 Preamble-only Commands . . . . .	3		
Styling the Titles 3 Delimiters 3			
2.2 icite for the Impatient . . . . .	3		
2.3 Entry Fields . . . . .	3		
2.3.1 Author Names . . . . .	3		
Example 4			
2.4 Titles . . . . .	4		
3 Basic Use	4	6 Implementation	13
List of References 4 Example 4		7 Change History	18
		8 Index	18

## Abstract

icite is designed to produce from BIBTEX or BibLATEX bibliographical databases the different indices of authors and works cited which are called *indices locorum citatorum*. It relies on a specific \icite command and can operate with either BIBTEX or BibLATEX.

## License and Disclaimer

icite — *Indices locorum citatorum* © 2019, 2020, 2021, 2023 Robert Alessi.

OpenBSD icite is licensed under the terms of the so-called OpenBSD license, as it is modelled after the ISC copyright, which is functionally equivalent to a two-term BSD copyright with language removed that is made unnecessary by the Berne convention.<sup>1</sup>

icite -- Index locorum citatorum

Copyright (c) 2019, 2020, 2021, 2023 Robert Alessi  
<alessi@robertalessi.net>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

<sup>1</sup>More information about the OpenBSD policy to which icite adheres: <https://www.openbsd.org/policy.html>.

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Please send error reports and suggestions for improvements to Robert Alessi:

- email: [mailto:Robert Alessi <alessi@roberalessi.net>](mailto:Robert.Alessi<alessi@roberalessi.net>)
  - website: <https://sr.ht/~ralessi/icite/>
  - development: <http://git.robertalessi.net/icite>
  - comments, feature requests, bug reports: <https://todo.sr.ht/~ralessi/icite>
- This release of icite consists of the following source files:
- `icite.dtx`
  - `icite.ins`
  - `Makefile`

## 1 Introduction

Bib<sup>L</sup>ATEX features a very powerful internal mechanism which supports indexing of citations and bibliographic entries and can be activated by a simple `indexing` option in the preamble. However, by default, only the authors and the works cited are inserted in the index. Furthermore, authors and works are indexed separately and only inserted in the global index that is generated by `\makeindex`. Another limitation is that the references are also excluded from the index.

Notwithstanding these limitations, it is quite possible to typeset *indices locorum citatorum* with Bib<sup>L</sup>ATEX, but this remains an intricate business and requires knowing how to redefine and/or patch standard and internal Bib<sup>L</sup>ATEX commands.

The icite package is but a modest piece of software which addresses this situation. It relies on citation commands, but does not require Bib<sup>T</sup>EX. Instead, Bib<sup>T</sup>EX, or even no bibliographic engine, can be used as icite uses the usebib package<sup>2</sup> to build the indices by drawing directly from the bibliographical database.

## 2 The icite Package

The icite package is loaded as usual like so:—

```
1 \usepackage[<options>]{icite}
```

icite may be loaded with three optional ‘named arguments’ either of which is set using the syntax `<key>=<value>`. The description of the optional arguments follows:—

`citecmd citecmt=<command>`

`Default: cite`

`<command>` may be any citation command accepted by Bib<sup>T</sup>EX or Bib<sup>L</sup>ATEX. This option is used by the `\icite` command that is described below. By default, `\icite` uses the `\cite` command to insert citations in the body text.

`defaultindex defaultindex=none|<index_name>`

`Default: not set`

`<index_name>` is the name of the index in which all passages cited with the `\icite` command are to be found by default. As this option is not initially set, `\icite` naturally inserts cited passages in the default general index, unless `defaultindex` is set to the value `none`, in which case indexing is disabled. It must be noted that this named argument does not need a value as it defaults to `loccit` if used alone. This is an easy way to have all passages cited indexed in a separate index named `loccit`.

`nobibengine nobibengine=true|false`

`Default: not set`

New feature v1.1

<sup>2</sup>Enrico Gregorio, *The Usebib package: A simple bibliography processor* (version 1.0a) (CTAN, Apr. 13, 2012), <http://www.ctan.org/pkg/usebib>

This named argument does not need a value as it defaults to `true` if used. When this option is activated, `icite` does not use `BETEX` or `BALATEX` to insert the citations in the body text—even if either be loaded in the preamble—and pulls the necessary information directly from the bibliographical database. For this reason, `\bibinput` described below is of course still required. The citations inserted consist of the elements described below [sect. 2.3](#) on the current page. However, it must be noted that if the entry field `shorthand` of any author/work be set in the database, it takes precedence over the fields used to define author names and titles.

`\bibinput` **Bibliographical Database** Once `icite` is loaded, it must be connected to at least one bibliographic `.bib` file. To that end, `icite` uses the same `\bibinput` command as `usebib`.<sup>3</sup> An example follows:

```

1 % load icite, have \icite use \autocite by default, and insert cited
2 % passages in a separate index named 'loccit':
3 \usepackage[citecmd=autocite, defaultindex]{icite}
4 % note that the .bib file must be stripped of its extension:
5 \bibinput{bibliography} % that is: load bibliography.bib

```

## 2.1 Preamble-only Commands

The following commands may be found in the preamble only.

`\SetTitleStyle` **Styling the Titles** By default, `icite` prints the titles of the works cited in italics. `\SetTitleStyle{\<formatting directives>}` can be used in the preamble only to customize the way titles are displayed in the indices, like so:

```
1 \SetTitleStyle{\textbf{\#1}}
```

As this example shows, `#1` is the token that is replaced with the actual title in the formatting directives of the `\SetTitleStyle` command.

`\AuthorTitleDelim` **Delimiters** `\AuthorTitleDelim{\<delimiter>}` sets the delimiter between authors and titles. *New feature v1.2* in the body text when the `nobibengine` option is set to `true`. The default delimiter is a comma and a space.

`\TitlePageDelim` `\TitlePageDelim{\<delimiter>}` sets the delimiter between titles and pages in the body text when the `nobibengine` option is set to `true`. The default delimiter is a comma and a space.

## 2.2 `icite` for the Impatient

Read [icite-minimal.pdf](#).

## 2.3 Entry Fields

### 2.3.1 Author Names

To process author names, `icite` uses the following entry fields:

**author** As for example in `author = {Ullmann, Manfred}`, which is satisfactory in most cases.

**indexauthor** This field is not set by `BALATEX`. However, it may be used as a fallback field for multiple or complex names.

**sortname** This standard `BALATEX` field which is never printed may be used to modify the sorting order of the index entries.

---

<sup>3</sup>Please refer to Gregorio, *The Usebib package*, p. 1 for more detailed information on how to use this command.

**Example** From a given entry such as:

```
author = {Hunayn ibn Ishāq al-‘Ibādī, Abū Zayd}
```

it may prove useful to define an additional `indexauthor` field to have printed in the index only the relevant part of the name, like so:

```
indexauthor = {Hunayn ibn Ishāq} or indexauthor = {Hunayn}
```

But in the end, the `sortname` field is also needed because the diacritics must be discarded so that the name be sorted properly:

```
sortname = {{Hunayn ibn Ishaq}}
```

## 2.4 Titles

To process titles, `icite` uses the following entry fields:

`title` The full title of the work.

`shorttitle` The title in an abridged form. If this entry be set, it takes precedence over the `title` field in the printed index.

`indextitle` This field may be used to have a title such as *The TEXBook* printed in the index as *TEXBook, The*.

`indexsorttitle` Like `sortname` for author names, this field is used for sorting only and is never printed. From the previous example, it may be used like so:

```
indexsorttitle = {TEXBook}
```

## 3 Basic Use

\icite provides the `\icite` command which both inserts a formatted citation in the body text and an entry corresponding to the passage cited in the index. This command is to be used in place of any BibTeX or BibLaTeX citation command the syntax of which is `\command[<pre>][<post>]{<key>}[<command>]`. It must be noted that only standard citation commands are supported, with the exception of those mentioned as qualified citation lists or so-called ‘multi-cite’ commands. The full syntax of `\icite` follows:—

```
1 \icite[<pre>][<post>]{<key>}[<command>]
```

Where `[<command>]` can be used as a further optional argument to specify a standard citation command that `\icite` should emulate instead of the default `\cite` command or any other command set as default in the preamble by means of the `citecmd` global option.<sup>4</sup>

*New feature v1.4* **List of References** The references inserted in the `<post>` argument of `\icite` may consist of single numbers—as in 25, vii or XIV—ranges of numbers—as in 34–38 or iv–x—or lists of numbers. In the latter case, references must be separated from one another by semicolons (;), like so: 12; 21; 34–38.

**Example** The following example illustrates how `icite` can be used in combination with BibLaTeX and the `imakeidx` package to have the passages cited sorted and printed in a separate, specific ‘Index of Passages Cited’:—

```
1 % preamble
2 % load icite, have \icite use \autocite by default, and insert cited
3 % passages in a separate index named 'loccit':
4 \usepackage[citecmd=autocite, defaultindex]{icite}
```

<sup>4</sup>See above, sect. 2 on page 2.

```

5  % load bibliography.bib
6  \bibinput{bibliography}
7
8 % load biblatex (with oxnotes, \autocite acts as \footcite)
9 \usepackage[style=oxnotes]{biblatex}
10 \addbibresource{bibliography.bib} % mind the extension here
11
12 % load imakeidx and use xindy to have the numbers sorted properly
13 \usepackage[xindy]{imakeidx}
14 \makeindex[name=loccit, title=Index of Passages Cited (modern authors)]

```

Then `\icite` can be used like so:—

```

1 \section*{\cs{icite} in Action}
2 Let us start with four citations of the same reference, to make sure
3 that they are all indexed and sorted properly: one\icite[123;
4 141--148; 245]{Ullmann1970}, two\icite[231]{Ullmann1970},
5 three\icite[81]{Ullmann1970} and four\icite[18]{Ullmann1970}.
6
7 Let us continue with four other citations out of two other
8 references: one\icite[90]{Bürgel2016}, two\icite[370]{Dols1987},
9 three\icite[205]{Bürgel2016} and four\icite[380]{Dols1987}.
10
11 Finally, let us have \cs{icite} use \cs{textcite} to cite
12 \icite[123]{Endress1992}[textcite], and again, this time in a
13 footnote\icite[86]{Endress1992}.

```

## \icite in Action

Let us start with four citations of the same reference, to make sure that they are all indexed and sorted properly: one,<sup>a</sup> two,<sup>b</sup> three<sup>c</sup> and four.<sup>d</sup>

Let us continue with four other citations out of two other references: one,<sup>e</sup> two,<sup>f</sup> three<sup>g</sup> and four.<sup>h</sup>

Finally, let us have `\icite` use `\textcite` to cite Endress,<sup>i</sup> and again, this time in a footnote.<sup>j</sup>

<sup>a</sup>Manfred Ullmann, *Die Medizin im Islam* (Leiden: Brill, 1970), pp. 123, 141–148, 245.

<sup>b</sup>Ullmann, *Die Medizin im Islam*, p. 231.

<sup>c</sup>Ullmann, *Die Medizin im Islam*, p. 81.

<sup>d</sup>Ullmann, *Die Medizin im Islam*, p. 18.

<sup>e</sup>Johann Christoph Bürgel, *Ärztliches Leben und Denken im arabischen Mittelalter*, rev. Fabian Käs (Islamic History and Civilization, 135; Leiden: Brill, 2016), p. 90.

<sup>f</sup>Michael W. Dols, “The Origins of the Islamic Hospital: Myth and Reality,” *Bulletin of the History of Medicine*, 61 (1987), 367–90 at p. 370.

<sup>g</sup>Bürgel, *Ärztliches Leben...*, p. 205.

<sup>h</sup>Dols, “The Origins of the Islamic Hospital,” p. 380.

<sup>i</sup>Gerhard Endress, “Die Wissenschaftliche Literatur,” in *Grundriß der arabischen Philologie*, iii, ed. Wolfdietrich Fisher, Supplement (Wiesbaden: Reichert, 1992), 3–152 at p. 123.

<sup>j</sup>Endress, “Die Wissenschaftliche Literatur,” p. 86.

All indices and the contents of the BibTeX file that has been used can be found below in the appendix (sect. 5.1 to sect. 5.2 on page 10 respectively). As can be seen by comparing the bibliography generated in the footnotes with the text printed in the index, `icite` prints as expected the abridged forms of the titles when they are available. Furthermore, as a default citation command set in the preamble, the ‘oxnotes’ BibLaTeX option of `biblatex-oxref` style

package makes `\autocite` behave like `\footcite`. Finally, the page numbers in the index are sorted properly: for example, two-digit numbers, like 81, are listed before 123.

## 4 Refined Use

When references are made not only to modern authors but also to authors and works from classical antiquity or from the Middle Ages, it is commonly agreed that at least two separate indices of passages cited should be made. Another option is not to index passages cited from modern authors at all.

`\IndexSubtypeAs` `icite` is able to differentiate between sources by drawing from the bibliographical database the exact string that may be found in the `entrysubtype` entry field. To that end, the `\IndexSubtypeAs` command is provided. It takes two mandatory arguments, like so:—

```
1 \IndexSubtypeAs{<subtype>}{<index_name>}
```

Where `<subtype>` is any given string used to specify an `entrysubtype` in the bibliographical database, and `<index_name>` the name of the index which the authors matching that subtype must go into. This command is to be found in the preamble only.

Of course different subtypes can be associated with a single index or with different indices. That said, one should keep in mind that any entry the actual subtype of which is not associated with an index is processed as if it had no subtype at all. Examples follow:—

```
1 % load icite, and have cited authors indexed in an index named
2 % 'secondary':
3 \usepackage[defaultindex=secondary]{icite}
4 % except for authors whose 'entrysubtype' field matches the string
5 % 'classical': have them indexed in an index named 'primary':
6 \IndexSubtypeAs{classical}{primary}
7 % authors whose 'entrysubtype' field matches the string 'medieval'
8 % should go into the same index:
9 \IndexSubtypeAs{medieval}{primary}
```

Or:

```
1 % load icite, but do not index passages cited with \icite:
2 \usepackage[defaultindex=none]{icite}
3 % except for authors whose 'entrysubtype' field matches the string
4 % 'classical': have them indexed in an index named 'primary':
5 \IndexSubtypeAs{classical}{primary}
6 % authors whose 'entrysubtype' field matches the string 'medieval'
7 % should go into the same index:
8 \IndexSubtypeAs{medieval}{primary}
```

**Example** In the following example, modern authors, namely those whose `entrysubtype` field does not match the string `classical` should go into the default `loccit` index. As for those whose `entrysubtype` matches `classical`, they should go into an index named `primary`. Furthermore, the `classics` package is used to format references in which a volume number is used.<sup>5</sup> In this way, `xindy` only has numbers to handle:—

---

<sup>5</sup>For more information, see below sect. 4.1 on page 8.

```

1  % preamble
2  \usepackage[style=oxnotes]{biblatex}
3  \addbibresource{bibliography.bib}
4
5  \usepackage[xindy]{imakeidx}
6  \makeindex[name=locxit, title=Index of passages cited (modern authors)]
7  \makeindex[name=primary, title=\emph{Index locorum citatorum}]
8
9  \usepackage{classics}
10 \newclassic{iau}{\classicsRoman{\#1}|, #1|.#1}
11 \newclassic{razi}{\#1|.#1}
12 \newclassic{nadim}{\classicsRoman{\#1}|.#1|, #1}
13
14 \usepackage[citecmd=autocite, defaultindex]{icite}
15 \IndexSubtypeAs{classical}{primary}

```

Then `\icite` can be used like so:—

```

1 \section*{\cs{icite} in Action}
2 Let us start with four citations of the same reference, to make sure
3 that they are all indexed and sorted properly: one\icite[123;
4 141--148; 245]{Ullmann1970}, two\icite[231]{Ullmann1970},
5 three\icite[81]{Ullmann1970} and four\icite[18]{Ullmann1970}.
6
7 Let us continue with four other citations out of two other
8 references: one\icite[90]{Bürgel2016}, two\icite[370]{Dols1987},
9 three\icite[205]{Bürgel2016} and four\icite[380]{Dols1987}.
10
11 Before concluding, let us insert a few references to medieval Arabic
12 authors: one\icite[\iau{1}{81}{32}]{IAUMuller},
13 two\icite[\razi{5}{7--10}]{RaziShukuk}, three\icite[133]{al-Qifti},
14 four\icite[\nadim{3}{7}{286}]{al-Nadim},
15 five\icite[\iau{2}{214}{20}]{IAUMuller},
16 six\icite[\razi{1}{6--20}]{RaziShukuk},
17 seven\icite[126.15--20]{al-Qifti} and
18 eight\icite[\nadim{3}{7}{291}]{al-Nadim}.
19
20 Finally, let us have \cs{icite} use \cs{textcite} to cite
21 \icite[123]{Endress1992}[textcite], and again, this time in a
22 footnote\icite[86]{Endress1992}.

```

## \icite in Action

Let us start with four citations of the same reference, to make sure that they are all indexed and sorted properly: one,<sup>a</sup> two,<sup>b</sup> three<sup>c</sup> and four.<sup>d</sup>

Let us continue with four other citations out of two other references: one,<sup>e</sup> two,<sup>f</sup> three<sup>g</sup> and four.<sup>h</sup>

Before concluding, let us insert a few references to medieval Arabic authors: one,<sup>i</sup> two,<sup>j</sup> three,<sup>k</sup> four,<sup>l</sup> five,<sup>m</sup> six,<sup>n</sup> seven<sup>o</sup> and eight.<sup>p</sup>

Finally, let us have `\icite` use `\textcite` to cite Endress,<sup>q</sup> and again, this time in a footnote.<sup>r</sup>

- <sup>a</sup>Ullmann, *Die Medizin im Islam*, pp. 123, 141–148, 245.
- <sup>b</sup>Ullmann, *Die Medizin im Islam*, p. 231.
- <sup>c</sup>Ullmann, *Die Medizin im Islam*, p. 81.
- <sup>d</sup>Ullmann, *Die Medizin im Islam*, p. 18.
- <sup>e</sup>Bürgel, *Ärztliches Leben...*, p. 90.
- <sup>f</sup>Dols, “The Origins of the Islamic Hospital,” p. 370.
- <sup>g</sup>Bürgel, *Ärztliches Leben...*, p. 205.
- <sup>h</sup>Dols, “The Origins of the Islamic Hospital,” p. 380.
- <sup>i</sup>Ibn Abī Usaybi‘ah, ‘Uyūn al-anbā’ fī tabaqāt al-atibbā’, ed. August Müller (Königsberg and Cairo, 1882–1884) (henceforth Ibn Abī Usaybi‘ah, ‘Uyūn al-anbā’), I, 81.32.
- <sup>j</sup>Muhammad ibn Zakariyā’ al-Rāzī, *Kitāb al-shukūk ‘alā Jālīnūs*, ed. Mehdi Mohaghegh (Tehran: International Institute of Islamic Thought and Civilization, 1993) (henceforth al-Rāzī, *Shukūk*), 5.7–10.
- <sup>k</sup>Ibn al-Qiftī, *Ta’rīkh al-hukamā’*, ed. Julius Lippert (Leipzig, 1903) (henceforth al-Qiftī, *Ta’rīkh*), p. 133.
- <sup>l</sup>Ibn al-Nadīm, *Fihrist*, ed. Gustav Flügel, 2 vols. (Leipzig, 1871–1872) (henceforth *Fihrist*), III.7, 286.
- <sup>m</sup>Ibn Abī Usaybi‘ah, ‘Uyūn al-anbā’’, II, 214.20.
- <sup>n</sup>al-Rāzī, *Shukūk*, 1.6–20.
- <sup>o</sup>al-Qiftī, *Ta’rīkh*, pp. 126.15–20.
- <sup>p</sup>*Fihrist*, III.7, 291.
- <sup>q</sup>Endress, “Die Wissenschaftliche Literatur,” p. 123.
- <sup>r</sup>Endress, “Die Wissenschaftliche Literatur,” p. 86.

As already said above, all indices and the contents of the Bi<sub>n</sub>T<sub>E</sub>X file that has been used can be found below in the appendix (sect. 5.1 to sect. 5.2 on page 10 respectively). As one can see, al-Rāzī has been sorted under the letter R and references to classical works have been formatted properly.

## 4.1 The classics Package

As said above on page 6, it is advisable to use the *classics* package to format volume, page, column, line numbers and the like which are inserted in the *<post>* optional argument of the \icite command.<sup>6</sup> An example of using *classics* to format references to Aristotle according to Bekker pagination follows:<sup>7</sup>—

```

1 % preamble:
2 \usepackage{classics}
3 \newclassic[aristotle]{#1}\textit{#1}|#1

```

```

1 In \emph{Politics}, Aristotle says that man is by nature a political
2 animal in the following passages: \aristotle{1253}[a][2--9] (Book~1)
3 and again in \aristotle{1278}[b][19] (Book~3). The latter passage
4 shows that one should read the whole section of Book~1 concerning
5 household management and the control of slaves
6 (\aristotle*[1253][b][1]{1253}[b][39]).
```

In *Politics*, Aristotle says that man is by nature a political animal in the following passages: 1253a2–9 (Book 1) and again in 1278b19 (Book 3). The latter passage shows that one should read the whole section of Book 1 concerning household management and the control of slaves (1253b1–b39).

The following prints the same body text while using icite to have the passages cited inserted in the *Index locorum citatorum* (see below sect. 5.1.2 on page 10):—

---

<sup>6</sup>Eduardo C. Lourenço de Lima, *The Classics package: Cite classic works* (version 0.1) (CTAN, Feb. 2, 2013), <http://www.ctan.org/pkg/classics>.

<sup>7</sup>See Lourenço de Lima, *The Classics package*, p. 2 for more information.

```

1 In \emph{Politics}, Aristotle says that man is by nature a political
2 animal in the following passages:
3 \icite[\aristotle{1253}[a][2--9]]{Aristotle:Politica}[notecite]
4 (Book~1) and again in \icite[\aristotle{1278}[b][19]]%
5 [Aristotle:Politica][notecite] (Book~3). The latter passage shows
6 that one should read the whole section of Book~1 concerning
7 household management and the control of slaves
8 \icite[\aristotle*[1253][b][1]]{1253}[b][39]]%
9 [Aristotle:Politica][pnotecite].

```

In *Politics*, Aristotle says that man is by nature a political animal in the following passages: 1253a2–9 (Book 1) and again in 1278b19 (Book 3). The latter passage shows that one should read the whole section of Book 1 concerning household management and the control of slaves (1253b1–b39).

As can be seen, the \notecite and \pnotecite commands have been used to insert only the references in the body text.

It is also advisable to use xindy to compile indices of passages cited because xindy, unlike makeindex or xindex, is able to sort numbers properly: for example, with xindy, such a number as 81 will come before 100, but will be sorted after 100 with the other two engines.

#### Caveat

xindy (actually `texindy`) is also designed to ignore TeX commands by default. However, due to a missing line in `xindy/modules/base/tex.xdy`,<sup>a</sup> this does not apply to so-called ‘starred’ TeX commands, such as `\aristotle*` from the example above.

<sup>a</sup>As the time of writing, in xindy v2.5.1.

One easy way to get around this issue is to create a style file with a single line that instructs xindy to ignore the asterisk when processing the index, like so:—

```

icite.xdy
(merge-rule "\*" "" :regexp)

```

The following example shows how this simple rule can be applied:—

```

1 % preamble:
2 \usepackage[xindy]{imakeidx}
3 \makeindex[name=loccit, options=-M icite.xdy]
4 % document:
5 \printindex[loccit]

```

Of course, the document itself must be compiled with `--shell-escape`.<sup>8</sup>

## 5 Appendix

Designing the layout of indices is out of the scope of this documentation. For information, the `tabto` package has been used in the preamble in combination with the following `xindy` style file:—

<sup>8</sup>See Enrico Gregorio and Claudio Beccari, *The Imakeidx package: A package for producing multiple indexes* (version 1.3e) (CTAN, Oct. 15, 2016), <http://www.ctan.org/pkg/imakeidx>, pp. 2–4.

(markup-locclass-list :open "\tabto{3.5cm}" :sep " , ")

## 5.1 Indices

### 5.1.1 Index of Passages Cited (Modern Authors)

<b>B</b>			
Bürgel, Johann Christoph		<i>Die Wissenschaftliche Literatur</i>	
<i>Ärztliches Leben...</i>			
90	5, 7	86	
205	5, 7	123	
<b>D</b>			
Dols, Michael W.		<i>U</i>	
<i>The Origins of the Islamic Hospital</i>		Ullmann, Manfred	
370	5, 7	<i>Die Medizin im Islam</i>	
380	5, 7	18	5, 7
		81	5, 7
		123	5, 7
		141–148	5, 7
<b>E</b>			
Endress, Gerhard		231	5, 7
		245	5, 7

### 5.1.2 *Index locorum citatorum*

<b>A</b>			
Aristotle		<i>Fihrist</i>	
<i>Politica</i>		III.7, 286	7
1253a2–9	9	III.7, 291	7
1253b1–b39	9	Ibn al-Qiftī	
1278b19	9	<i>Ta’rīkh al-hukamā’</i>	
		126.15–20	7
		133	7
<b>I</b>			
Ibn Abī Uṣaybi‘ah		<b>R</b>	
‘Uyūn al-anbā’		al-Rāzī, Muhammad ibn Zakarīyā’	
I, 81.32	7	<i>Shukūk</i>	
II, 214.20	7	1.6–20	7
Ibn al-Nadīm		5.7–10	7

## 5.2 BIBTEX File Used in this Document

```

1 @Book{Aristotle:Politica,
2   title = {Politica},
3   date = 1964,
4   author = {Aristotle},
5   editor = {Ross, W. D.},
6   origdate = 1957,
7   entrysubtype = {classical},
8   publisher = {Clarendon Press},
9   location = {Oxford}
10 }
11

```

```

12 @Book{Bürgel2016,
13   shorttitle = {Ärztliches Leben\ldots},
14   editortype = {reviser},
15   editor = {Käs, Fabian},
16   number = 135,
17   series = {Islamic History and Civilization},
18   location = {Leiden},
19   publisher = {Brill},
20   date = 2016,
21   title = {Ärztliches Leben und Denken im arabischen
22             Mittelalter},
23   author = {Bürgel, Johann Christoph}
24 }
25
26 @Software@classics,
27   title = {The Classics package},
28   subtitle = {Cite classic works},
29   author = {Lourenço de Lima, Eduardo C.},
30   publisher = {CTAN},
31   url = {http://www.ctan.org/pkg/classics},
32   date = {2013-02-02},
33   version = {0.1}
34 }
35
36 @Article{Dols1987,
37   author = {Dols, Michael W.},
38   title = {The Origins of the Islamic Hospital: Myth and
39             Reality},
40   shorttitle = {The Origins of the Islamic Hospital},
41   journaltitle = {Bulletin of the History of Medicine},
42   date = 1987,
43   volume = 61,
44   pages = {367--390}
45 }
46
47 @InBook{Endress1992,
48   title = {Die Wissenschaftliche Literatur},
49   date = 1992,
50   author = {Endress, Gerhard},
51   booktitle = {Grundriß der arabischen Philologie},
52   editor = {Fisher, Wolfdietrich},
53   volume = 3,
54   note = {Supplement},
55   publisher = {Reichert},
56   location = {Wiesbaden},
57   pages = {3--152}
58 }
59
60 @Book{IAUMüller,
61   sortname = {{ibn abi usaybia}},
62   editor = {Müller, August},
63   author = {\prname{ibn 'abI 'u.saybi`aT}},
64   shorteditor = {Müller},

```

```

65 date = {1882/1884},
66 title = {\arb[trans]{\uc{'u}yUn al-'anbA' fI .tabaqAt
67 al-'a.tibbA'}},
68 shorttitle = {\arb[trans]{\uc{'u}yUn al-'anbA'}},
69 shorthand = {\prname{ibn 'abI 'u.saybi`aT},
70 \arb[trans]{\uc{'u}yUn al-'anbA'}},
71 entrysubtype = {classical},
72 location = {Königsberg and Cairo},
73 volumes = 2
74 }

75
76 @Software{imakeidx,
77 title = {The Imakeidx package},
78 subtitle = {A package for producing multiple indexes},
79 author = {Gregorio, Enrico and Beccari, Claudio},
80 publisher = {CTAN},
81 url = {http://www.ctan.org/pkg/imakeidx},
82 date = {2016-10-15},
83 version = {1.3e}
84 }

85
86 @Book{RaziShukuk,
87 author = {\prname{al-rAziyy}, \prname{mu.hammad ibn
88 zakariyyA'}},
89 title = {\arb[trans]{\uc{k}itAb al-^sukUk `al_A
90 \uc{'g}AlInUs}},
91 indextitle = {\arb[trans]{\uc{'s}ukUk}},
92 sortname = {razi},
93 date = 1993,
94 shorthand = {\prname{al-rAziyy}, \arb[trans]{\uc{'s}ukUk}},
95 editor = {Mehdi Mohaghegh},
96 publisher = {International Institute of Islamic Thought and
97 Civilization},
98 location = {Tehran},
99 entrysubtype = {classical}
100 }

101
102 @Book{Ullmann1970,
103 location = {Leiden},
104 publisher = {Brill},
105 title = {Die Medizin im Islam},
106 date = 1970,
107 author = {Ullmann, Manfred},
108 }

109
110 @MVBook{al-Nadim,
111 author = {\prname{ibn al-nadIm}},
112 title = {\arb[trans]{\uc{f}ihrist}},
113 sortname = {{ibn al-nadim}},
114 date = {1871/1872},
115 shorthand = {\arb[trans]{\uc{f}ihrist}},
116 editor = {Flügel, Gustav},
117 volumes = 2,

```

```

118     location = {Leipzig},
119     entrysubtype = {classical}
120 }
121
122 @Book{al-Qifti,
123   sortname = {{ibn al-qifti}},
124   entrysubtype = {classical},
125   shorthand = {\prname{al-qif.tiyy}, \arb[trans]{\uc{t}a'ri\I_h}},
126   location = {Leipzig},
127   editor = {Lippert, Julius},
128   date = 1903,
129   title = {\arb[trans]{\uc{t}a'ri\I_h al-.hukamA'}},
130   author = {\prname{ibn al-qif.tiyy}}
131 }
132
133 @Software{usebib,
134   title = {The Usebib package},
135   subtitle = {A simple bibliography processor},
136   author = {Gregorio, Enrico},
137   publisher = {CTAN},
138   url = {http://www.ctan.org/pkg/usebib},
139   date = {2012-04-13},
140   version = {1.0a}
141 }

```

## 6 Implementation

Declare the global options, and define them:

```

1 \RequirePackage{xkeyval}
2 \DeclareOptionX{citecmd}[cite]{\def\ic@dfltcit{\#1}}
3 \newif\ifdefault@index
4 \newif\ifno@index
5 \DeclareOptionX{defaultindex}[locxit]{
6   \edef\@tempa{\#1}
7   \edef\@none{none}
8   \ifx\@tempa\@none
9     \no@indextrue
10    \else
11      \default@indextrue
12      \def\ic@dfltind{\#1}
13    \fi
14 }
15 \newif\ifno@bibengine
16 \define@boolkey{icite.sty}[@pkg@]{nobibengine}[true]{%
17   \if@pkg@nobibengine\no@bibenginetrue\else\fi}
18 \ExecuteOptionsX{citecmd}
19 \ProcessOptionsX\relax

```

The following packages are required by icite:

```

20 \RequirePackage{etoolbox}
21 \RequirePackage{datatool}
22 \RequirePackage{usebib}

```

If nobibengine is set to true, then \ic@dfltcit will be redefined by \icite to \ic@nullcmd which does nothing.

```
23 \NewDocumentCommand{\ic@nullcmd}{O{}O{}m}{}%
```

Define fields to be used by `icite`:

```
24 \define@reuse@key{author}
25 \define@reuse@key{indexauthor}
26 \define@reuse@key{sortname}
27 \define@reuse@key{title}
28 \define@reuse@key{shorttitle}
29 \define@reuse@key{indextitle}
30 \define@reuse@key{indexsorttitle}
31 \define@reuse@key{entrysubtype}
32 \define@reuse@key{shorthand}
```

This is the same as `\usebibentry` from `usebib`, but it does not return an error if the entry field is not found:

```
33 \def\get@bibentry#1#2{\@ifundefined{reuse@#1@#2}{}%
34   {\expandonce{\nameuse{reuse@#1@#2}}}}
35 \def\get@expanded@bibentry#1#2{\@ifundefined{reuse@#1@#2}{}%
36   {\@nameuse{reuse@#1@#2}}}
```

Create a new database which `icite` will use to connect BibL<sup>A</sup>T<sub>E</sub>X ‘subtypes’ to indices.

```
37 \DTLnewdb{icite@indices}
```

`\IndexSubtypeAs` `\IndexSubtypeAs` takes two mandatory arguments: 1. Any given keyword used to specify an ‘entrysubtype’ in the bibliographical database and 2. The index which the authors matching that subtype must go into. This command is to be found in the preamble only.

```
38 \NewDocumentCommand{\IndexSubtypeAs}{m m}{%
39   \DTLnewrow{icite@indices}
40   \DTLnewdbentry{icite@indices}{subtype}{#1}
41   \DTLnewdbentry{icite@indices}{index}{#2}
42 }
43 \@onlypreamble\IndexSubtypeAs
```

`\SetTitleStyle` By default, titles are printed in italics. This can be changed in the preamble by `\SetTitleStyle`.

```
44 \NewDocumentCommand{\TitleStyle}{m}{\emph{#1}}
45 \NewDocumentCommand{\SetTitleStyle}{m}{%
46   \RenewDocumentCommand{\TitleStyle}{m}{#1}
47 }
48 \@onlypreamble\SetTitleStyle
```

`\AuthorTitleDelim` `\AuthorTitleDelim{<delimiter>}` sets the delimiter between authors and titles in the body text when the `nobibengine` option is set to `true`. The default delimiter is a comma.

```
49 \def\ic@authtitdelim{, }
50 \NewDocumentCommand{\AuthorTitleDelim}{m}{%
51   \def\ic@authtitdelim{#1}
52 }
53 \@onlypreamble\AuthorTitleDelim
```

`\TitlePageDelim` `\TitlePageDelim{<delimiter>}` sets the delimiter between titles and pages in the body text when the `nobibengine` option is set to `true`. The default delimiter is a comma.

```
54 \def\ic@titpgdelim{, }
55 \NewDocumentCommand{\TitlePageDelim}{m}{%
56   \def\ic@titpgdelim{#1}
57 }
58 \@onlypreamble\TitlePageDelim
```

`\icite` `\icite` both inserts a formatted citation and an entry in the *index locorum citatorum*. It is to be used in place of any B<sup>I</sup>B<sub>E</sub>T<sub>E</sub>X or BibL<sup>A</sup>T<sub>E</sub>X citation command the syntax of which is `\command[<pre>][<post>]{<key>}`. `\icite` further accepts an optional argument should one wish to specify the citation command to be used, like so:

```
\icite[<pre>][<post>]{<key>}[<command>]
```

Only standard citation commands are accepted, with the exception of qualified citation lists or

so-called ‘multicite’ commands. As of v1.4, `\icite` can process separate index entries from lists of numbers inserted in the `\postnote` argument of `\icite`. For this mechanism to work, the indexing commands used by `\icite` must be defined beforehand:—

```

59 \NewDocumentCommand{\icite@dflt@index}{m}{%
60   \index[\ic@dfltind]{\@sortedauthor!\@sortedtitle!#1}%
61 \NewDocumentCommand{\icite@std@index}{m}{%
62   \index[\icite@index]{\@sortedauthor!\@sortedtitle!#1}%
63 \NewDocumentCommand{\icite@nodflt@index}{m}{%
64   \index{\@sortedauthor!\@sortedtitle!#1}}%

```

Then `\process@index@list` is used to split the argument of `\postnote` at each occurrence of the ; punctuation mark:—

```

65 \NewDocumentCommand{\process@index@list}{%
66   m > { \SplitList { ; } } m}%
67 \def\@tempa{#1}%
68 \def\@dflt{dflt}%
69 \def\@std{std}%
70 \def\@nodflt{nodflt}%
71 \ifx\@tempa\@dflt
72   \ProcessList {#2} { \icite@dflt@index }%
73 \else
74   \ifx\@tempa\@std
75     \ProcessList {#2} { \icite@std@index }%
76 \else
77   \ifx\@tempa\@nodflt
78     \ProcessList {#2} { \icite@nodflt@index }%
79 \fi\fi\fi
80 }%

```

The definition of `\icite` follows:—

```

81 \NewDocumentCommand{\icite}{o o m O{\ic@dfltcit}}{%
82   \edef\ic@argiv{#4}%
83   \edef\ic@null{ic@nullcmd}%
84   \ifno@bibengine\let\ic@argiv\ic@null\else\fi%
85   \edef\@shorthand{\get@bibentry{#3}{shorthand}}%
86   \edef\@subtype{\get@expanded@bibentry{#3}{entrysubtype}}%
87   \edef\@author{\get@bibentry{#3}{author}}%
88   \edef\@indexauthor{\get@bibentry{#3}{indexauthor}}%
89   \edef\@sortname{\get@bibentry{#3}{sortname}}%
90   \edef\@indexsorttitle{\get@bibentry{#3}{indexsorttitle}}%
91   \edef\@indextitle{\get@bibentry{#3}{indextitle}}%
92   \edef\@shorttitle{\get@bibentry{#3}{shorttitle}}%
93   \edef\@title{\get@bibentry{#3}{title}}%
94   \ifx\@indexauthor\empty
95     \def\@useauthor{\@author}%
96   \else
97     \def\@useauthor{\@indexauthor}%
98   \fi
99   \ifx\@sortname\empty
100    \def\@sortedauthor{\@useauthor}%
101  \else
102    \def\@sortedauthor{\@sortname@\@useauthor}%
103  \fi
104  \ifx\@indextitle\empty
105    \ifx\@shorttitle\empty
106      \def\@usetitle{\@title}%
107    \else
108      \def\@usetitle{\@shorttitle}%
109    \fi

```

```

110  \else
111      \def\@usetitle{\@indextitle}%
112  \fi
113 \ifx\@indexsorttitle\empty
114     \def\@sortedtitle{\@usetitle}\@TitleStyle{\@usetitle}%
115 \else
116     \def\@sortedtitle{\@indexsorttitle}\@TitleStyle{\@usetitle}%
117 \fi
118 \IfNoValueTF{#1}%
119 {\DTLifdbempty{icite@indices}{%
120     \ifno@index\else
121     \ifdefault@index%
122     \index[\ic@dfltind]{\@sortedauthor!\@sortedtitle}%
123     \else%
124     \index{\@sortedauthor!\@sortedtitle}%
125     \fi\fi%
126 }%
127 \bgroup%
128 \DTLforeach*{icite@indices}{%
129     \icite@subtype=subtype,\icite@index=index}%
130     \ifx@\subtype\icite@subtype%
131     \index[\icite@index]{\@sortedauthor!\@sortedtitle}%
132     \dtlbreak%
133     \else%
134     \ifno@index\else
135     \ifdefault@index%
136     \index[\ic@dfltind]{\@sortedauthor!\@sortedtitle}%
137     \else%
138     \index{\@sortedauthor!\@sortedtitle}%
139     \fi\fi%
140     \fi}%
141 \egroup%
142 \ifno@bibengine
143 \ifx\@shorthand\empty%
144 \useauthor\ic@authtitdelim\TitleStyle{\@usetitle}%
145 \else%
146 \@shorthand%
147 \fi%
148 \else%
149 \fi%
150 \csname\ic@argiv\endcsname{#3}%
}
151 {%
152 \IfNoValueTF{#2}%
153 {\DTLifdbempty{icite@indices}{%
154     \ifno@index\else
155     \ifdefault@index%
156     \process@index@list{dflt}{#1}%
157     \%index[\ic@dfltind]{\@sortedauthor!\@sortedtitle!#1}%
158     \else%
159     \process@index@list{nodflt}{#1}%
160     \%index{\@sortedauthor!\@sortedtitle!#1}%
161     \fi\fi%
162 }%
163 \bgroup%
164 \DTLforeach*{icite@indices}{%
165     \icite@subtype=subtype,\icite@index=index}%
166     \ifx@\subtype\icite@subtype%
167     \process@index@list{std}{#1}%
168     \%index[\icite@index]{\@sortedauthor!\@sortedtitle!#1}%

```

```

169          \dtlbreak%
170          \else%
171          \ifno@index\else
172          \ifdefault@index%
173          \process@index@list{dflt}{#1}%
174          \%index[\ic@dfltind]{\@sortedauthor!\@sortedtitle!#1}%
175          \else%
176          \process@index@list{nodflt}{#1}%
177          \%index{\@sortedauthor!\@sortedtitle!#1}%
178          \fi\fi%
179          \fi}%
180          \egroup}%
181 \ifno@bibengine
182 \ifx\@shorthand\empty%
183 \@useauthor\ic@authhtitdelim>TitleStyle{\@usetitle}%
184 \ic@titpgdelim{#1}%
185 \else%
186 \@shorthand\ic@titpgdelim{#1}%
187 \fi%
188 \else%
189 \fi%
190 \csname\ic@argiv\endcsname[{}#1]{#3}%
191 }
192 {\DTLifdbempty{icite@indices}{%
193     \ifno@index\else
194     \ifdefault@index%
195     \process@index@list{dflt}{#2}%
196     \%index[\ic@dfltind]{\@sortedauthor!\@sortedtitle!#2}%
197     \else%
198     \process@index@list{nodflt}{#2}%
199     \%index{\@sortedauthor!\@sortedtitle!#2}%
200     \fi\fi%
201 }%
202 \bgroup%
203 \DTLforeach*{icite@indices}{%
204     \icite@subtype=subtype,\icite@index=index}%
205     \ifx\@subtype\icite@subtype%
206     \process@index@list{std}{#2}%
207     \%index[\icite@index]{\@sortedauthor!\@sortedtitle!#2}%
208     \dtlbreak%
209     \else%
210     \ifno@index\else
211     \ifdefault@index%
212     \process@index@list{dflt}{#2}%
213     \%index[\ic@dfltind]{\@sortedauthor!\@sortedtitle!#2}%
214     \else%
215     \process@index@list{nodflt}{#2}%
216     \%index{\@sortedauthor!\@sortedtitle!#2}%
217     \fi\fi%
218     \fi}%
219     \egroup}%
220 \ifno@bibengine
221 \ifx\@shorthand\empty%
222 #1 \@useauthor\ic@authhtitdelim>TitleStyle{\@usetitle}%
223 \ic@titpgdelim{#2}%
224 \else%
225 #1 \@shorthand\ic@titpgdelim{#2}%
226 \fi
227 \else%

```

```

228      \fi%
229      \csname\ic@argiv\endcsname[#1] [{#2}]{#3}%
230    }%
231 }%
232 }

```

## 7 Change History

v1.00.	between authors and titles . . . . .	<b>14</b>
General: First public release . . . . .	<b>1</b>	
v1.1.	\TitlePageDelim: the delimiter	
General: New global option nobibengine .	<b>2</b>	
v1.2.	between titles and pages . . . . .	<b>14</b>
General: \AuthorTitleDelim: delimiter		
	General: icite now indexes separately lists	
	of references . . . . .	<b>4</b>

## 8 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

<b>Symbols</b>	
\@author . . . . .	<b>87</b> , 95
\@dflt . . . . .	<b>68</b> , 71
\@ifundefined . . . . .	<b>33</b> , 35
\@indexauthor . . . . .	<b>88</b> , 94, 97
\@indexsorttitle . . . . .	<b>90</b> , 113, 116
\@inextitle . . . . .	<b>91</b> , 104, 111
\@nameuse . . . . .	<b>34</b> , 36
\@nodflt . . . . .	<b>70</b> , 77
\@onlypreamble . . . . .	<b>43</b> , 48, 53, 58
\@shorthand . . . . .	<b>85</b> , 143, 146, 182, 186, 221, <b>225</b>
\@shorttitle . . . . .	<b>92</b> , 105, 108
\@sortedauthor . . . . .	<b>60</b> , 62, 64, 100, 102, 122, 124, 131, 136, 138, 157, 160, 168, 174, 177, 196, 199, 207, 213, 216
\@sortedtitle . . . . .	<b>60</b> , 62, 64, 114, 116, 122, 124, 131, 136, 138, 157, 160, 168, 174, 177, 196, 199, 207, 213, 216
\@sortname . . . . .	<b>89</b> , 99, 102
\@std . . . . .	<b>69</b> , 74
\@subtype . . . . .	<b>86</b> , 130, 166, 205
\@tempa . . . . .	<b>67</b> , 71, 74, 77
\@title . . . . .	<b>93</b> , 106
\@useauthor . . . . .	<b>95</b> , 97, 100, 102, 144, 183, <b>222</b>
\@usetitle . . . . .	<b>106</b> , 108, 111, 114, 116, 144, 183, 222

  

<b>A</b>	
\AuthorTitleDelim . . . . .	<b>3</b> , <b>14</b> , 50, 53

  

<b>B</b>	
\bgroup . . . . .	<b>127</b> , 163, 202
\bibinput . . . . .	<b>3</b>
biblatex-oxref (package) . . . . .	<b>5</b>

  

<b>C</b>	
citeccmd (option) . . . . .	<b>2</b>
classics (package) . . . . .	<b>6</b> , 8
\csname . . . . .	<b>150</b> , 190, 229

  

<b>D</b>	
\def . . . . .	<b>33</b> , 35, 49, 51, 54, 56, 67, 68, 69, 70, 95, 97, 100, 102, 106, 108, 111, 114, 116
defaultindex (option) . . . . .	<b>2</b>
\define@reuse@key . . . . .	<b>31</b> , 32
\dtlbreak . . . . .	<b>132</b> , 169, 208
\DTLforeach . . . . .	<b>128</b> , 164, 203
\DTLifdbempty . . . . .	<b>119</b> , 153, 192
\DTLnewdb . . . . .	<b>37</b>
\DTLnewdbentry . . . . .	<b>40</b> , 41
\DTLnewrow . . . . .	<b>39</b>

  

<b>E</b>	
\edef . . . . .	<b>82</b> , <b>83</b> , <b>85</b> , <b>86</b> , <b>87</b> , <b>88</b> , <b>89</b> , <b>90</b> , <b>91</b> , <b>92</b> , <b>93</b>
\egroup . . . . .	<b>141</b> , 180, 219
\else . . . . .	<b>73</b> , 76, 84, 96, 101, 107, 110, 115, 120, 123, 133, 134, 137, 145, 148,

\index	60, 62, 64, 122, 124, 131, 136, 138, 157, 160, 168, 174, 177, 196, 199, 207, 213, 216
\IndexSubtypeAs	6, 13, 38, 43
<b>L</b>	
\let	84
<b>M</b>	
makeindex (package)	9
<b>N</b>	
\NewDocumentCommand	38, 44, 45, 50, 55, 59, 61, 63, 65, 81
nobibengine (option)	2
<b>O</b>	
options:	
citecmd	2
defaultindex	2
nobibengine	2
<b>P</b>	
\process@index@list	65, 156, 159, 167, 173, 176, 195, 198, 206, 212, 215
\ProcessList	72, 75, 78
<b>R</b>	
\RenewDocumentCommand	46
<b>S</b>	
\SetTitleStyle	3, 13, 45, 48
\SplitList	66
<b>T</b>	
tabto (package)	9
\TitlePageDelim	3, 14, 55, 58
\TitleStyle	44, 46, 114, 116, 144, 183, 222
<b>U</b>	
usebib (package)	2, 3, 13
<b>X</b>	
xindex (package)	9
xindy (package)	6, 9